

**131 Grades and grade requirements for the class Mung Beans.**

Grade	Percent Maximum Limits of ---							
	Moisture <sup>1</sup>	Total Defects (Total damaged, Total foreign material, Contrasting classes, & Splits)	Total Damaged	Clean cut Weevil Bored <sup>2</sup>	Foreign Material		Contrasting Classes <sup>3</sup>	Classes that Blend <sup>4</sup>
					Total (including stones)	Stones		
U.S. No. 1	18.0	2.0	2.0	0.1	0.5	0.2	0.5	5.0
U.S. No.2	18.0	4.0	4.0	0.2	1.0	0.4	1.0	10.0
U.S. No. 3	18.0	6.0	6.0	0.5	1.5	0.6	2.0	15.0

**U.S. Substandard** shall be beans which do not meet the requirements for the grades U.S. No. 1 through U.S. Sample grade. Beans which are not well screened shall also be U.S. Substandard, except for beans which meet the requirements for U.S. Sample grade.

**U.S. Sample grade** shall be beans which are musty, sour, heating, materially weathered, or weevily; which have any commercially objectionable odor; which contain insect webbing or filth, animal filth, any unknown foreign substance, broken glass, or metal fragments; or which are otherwise of distinctly low quality.

<sup>1</sup>Beans with more than 18.0 percent moisture are graded High moisture.  
<sup>2</sup>Beans with more than 0.5 percent clean cut weevil bored beans are graded U.S. Sample Grade.  
<sup>3</sup>Beans with more than 2.0 percent contrasting classes are graded Mixed beans.  
<sup>4</sup>Beans with more than 15.0 percent classes that blend are graded Mixed beans.  
[47 FR 19311, May 5, 1982] [47 FR 20547, May 13, 1982] [60 FR 36030, July 13, 1995] [62 FR 52967, Oct. 10, 1997]  
[69 FR 75504, Dec. 17, 2004]